New York State Regents Examination in Algebra II (Common Core)

2016 Technical Report

Prepared for the New York State Education Department
by Pearson

March 2017

Copyright

Developed and published under contract with the New York State Education Department by Pearson.

Copyright © 2017 by the New York State Education Department.

Secure Materials.
All rights reserved. No part of this document may be reproduced or transmitted by any means.
Use of these materials is expressly limited to the New York State Education Department.

Contents

CHAPTER 1: INTRODUCTION AND HISTORY **1**

1.1 INTRODUCTION 1
1.2 HISTORY 1
1.3 PURPOSES OF THE EXAM

Dimensionality *38*
5.4 Evidence Based on Relations to Other Variables 38
5.5 Evidence Based on Testing Consequences 39
REFERENCES 40
APPENDIX A: OPERATIONAL TEST MAPS 44
APPENDIX B: RAW-TO-THETA-TO-SCALE SCORE CONVERSION TABLES 45
APPENDIX C: ITEM WRITING GUIDELINES 46
Guidelines for Writing Constructed-Response Math Items ..... **Error! Bookmark not defined.**

List of Tables

TABLE 1 TOTAL EXAMINEE POPULATION: REGENTS EXAMINATION IN ALGEBRA II (COMMON CORE) 5
TABLE 2 MULTIPLE-CHOICE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN ALGEBRA II (COMMON CORE) 7
TABLE 3 CONSTRUCTED-RESPONSE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN ALGEBRA II (COMMON CORE) 8
TABLE 4 DESCRIPTIVE STATISTICS IN *P*-VALUE AND POINT BISERIAL CORRELATION: REGENTS EXAMINATION IN ALGEBRA II (COMMON CORE) 9
TABLE 5 SUMMARY OF ITEM RESIDUAL CORRELATIONS: ALGEBRA II (COMMON CORE) 14
TABLE 6 SUMMARY OF INFIT MEAN SQUARE S .....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Chapter 1: Introduction and History

1.1 INTRODUCTION

This technical report

exam may be used to identify student strengths and needs, in order to guide classroom teaching and learning. The exams also provide students, parents, counselors, administrators, and college admissions officers with objective and easily understood achievement information that may be used to inform empirically based educational and vocational decisions about students. As a state-provided objective benchmark, the Regents Examination in Algebra II (Common Core) is intended for use in satisfying state testing requirements for students who have finished a course in Algebra II. A passing score on the exam counts toward requirements for a high school diploma, as described in the New York State diploma requirements: http://www.nysed.gov/common/nysed/files/programs/curriculum-instruction/currentdiplomarequirements2.pdf. Results of the Regents Examination in Algebra II (Common Core) may also be used to satisfy various locally established requirements throughout the state.

1.4 TARGET POPULATION (STANDARD 7.2)

The examinee population for the Regents Examination in Algebra II (Common Core) is composed of students who have completed a course in Algebra II. Any student, regardless of grade level or cohort, who began their first commencement-level Algebra course in fall 2013 or later was provided with instruction aligned with the NYS P 12 Common Core Learning Standards for Algebra and, therefore, took or will take the Regents Examination in Algebra II (Common Core). More information about testing requirements can be found at http://www.p12.nysed.gov/assessment/commoncore/transitionccregents1113rev.pdf.

Table 1 provides a demographic breakdown of all students who took the June 2016 Regents Examination in Algebra II (Common Core). All analyses in this report are based on the population described in Table 1. Annual Regents Examination results in the New York State Report Cards are those reported in the Student Information Repository System (SIRS) as of the reporting deadline. The results include those exams administered in August, January, and June of the reporting year (see http://data.nysed.gov/). If a student takes the same exam multiple times in the year, only the highest score is included in these results. Item-level data used for the analyses in this report are reported by districts on a similar timeline, but through a different collection system. These data include all student results for each administration. Therefore, the n-sizes in this technical report will differ from publicly reported counts of student test-takers.

Table 1 Total Examinee Population: Regents Examination in Algebra II (Common Core)

	91,478	100
American Indian/Alaska Native	403	0.44
Asian/Native Hawaiian/Other Pacific Islander	13,394	14.64
Black/African American	9,176	10.03
Hispanic/Latino	13,296	14.54
Multiracial	1,300	1.42

14	91,478	0.56	0.50	0.52	−0.17	−0.34	−0.20
15	91,478	0.63	0.48	0.38	−0.18	−0.15	−0.25
16	91						



Figure 1 Scatter Plot: Regents Examination in Algebra II

Chapter 3: IRT Calibrations, Equating, and Scaling (Standards 2, and 4.10)

The item response theory (IRT) model used for the Regents Examination in Algebra II (Common Core) is based on the work of Georg Rasch (Rasch, 1960). The Rasch model has a long-standing presence in applied testing programs. IRT has several advantages over classical test theory, a

$$P_{ni}(X = 1) = \frac{\exp\left({}_{n} - D_{ij} \right)}{1 + \exp\left({}_{n} - D_{ij} \right)}.$$

The Rasch model places both performance and item difficulty (estimated in terms of log-odds or logits) on the same continuum. When the model assumptions are met, the Rasch model provides estimates of examinee performance and item difficulty that are theoretically invariant across random samples of the same examinee population.

3.2 SOFTWARE AND ESTIMATION ALGORITHM

Item calibration was implemented via the WINSTEPS 3.60 computer program (Wright and Linacre, 2015), which employs unconditional (UCON), joint maximum likelihood estimation



Figure 2 Student Performance Map: Regents Examination in Algebra II (Common Core)

3.5 CHECKING RASCH ASSUMPTIONS

Since the Rasch model was the basis of all calibration, scoring, and scaling analyses associated with the Regents Examination in Algebra II (Common Core), the validity of the inferences from these results depends on the degree to which the assumptions of the model were met and how well the model fits the test data. Therefore, it is important to check these assumptions. This section evaluates the dimensionality of the data, local item independence, and item fit. It should be noted that only operational items were analyzed, since they are the basis of student scores.

Unidimensionality



Figure 3 Scree Plot: Regents Examination in Algebra II (Common Core)

Local Independence

Local independence (LI) is a fundamental assumption of IRT. This means that, for statistical purposes, an examinee response to any one item should not depend on

responses to these two items, as shown below. Based on the WLI, the following expression can be derived:

$$P\left(X_i = x_i, X_j = x_j \mid \right) = P\left(X_i = x_i \mid \right)P\left(X_j = x_j \mid \right).$$

Marais and Andrich (2008) point out that local item dependence in the Rasch model can occur in two ways that may be difficult to distinguish. The first way occurs when the assumption of unidimensionality is violated. Here, other nuisance dimensions besides a dominant

way occurs when responses to an item depend on responses to another item. This is a violation of statistical independence and can be called response dependence. By distinguishing the two sources of local de3 (u)-3 (rces)-92 (o)6 (f)-93 (loca)-5 2st(o)6 (f)-93 (it3 (loca)-5 2st(o)6 (f)-93 (it3 (loc

Items for the Regents Examination in Algebra II (Common Core) were field tested in 2015.

3.6 SCALING OF OPERATIONAL TEST FORMS

Operational test items were selected based on content coverage, content accuracy, and statistical quality. The sets of items on each operational test conformed to the coverage determined by content experts working from the learning standards established by the New

When the base administration was concluded, the initial raw score to scale score relationship was established. Three raw scores were fixed at specific scale scores. Scale scores of 0 and 100 were fixed to correspond to the minimum and maximum possible raw scores. In addition, a standard setting had been held to determine the passing and passing with distinction cut scores in the raw score metric. The scale score points of 65, 78, and 85 were set to correspond to those raw score cuts. A fourth-degree polynomial is required to fit a line exactly to five arbitrary points (e.g., the raw scores corresponding to the five critical scale scores of 0, 65, 78, 85, and 100). The general form of this best-fitting line is:

The minimum (zero) and maximum possible raw scores are assigned scale scores of 0 and 100, respectively. In the event that there are raw scores less than the maximum with scale scores that round to 100, their scale scores are set equal to 99. A similar process is followed with the minimum score; if any raw scores other than zero have scale scores that round to zero, their scale scores are instead set equal to one.

With regard to the cuts, if two or more scale scores round to 55, 65, or 85, the lowest raw , and the scale scores corresponding to the higher raw scores are set to 56, 66, or 86, as appropriate. This rule does not apply for the third cut at a scale score of 78. If no scale score rounds to these four critical cuts, then the raw score with the largest scale score that is less than the cut is set equal to the cut. The overarching principle when two raw scores both round to either scale score cut is that the lower of the raw scores is always assigned to be equal to the cut so that students are never penalized for this ambiguity.

would be pure random noise (i.e., all measurement error). If the index achieved a value of 1.0, scores would be perfectly consistent (i.e., contain no measurement error). Although values of 1.0 are never achieved in practice, it is clear that larger coefficients are more desirable because they

as the exam is equated from year to year, the relationship between the raw and scale scores moves away from the original fourth-degree polynomial relationship to one that is also no longer expressible in simple mathematical form. In the absence of a simple mathematical relationship between and the scale scores, the CSEMs that are available for each

-
toward the middle of the distri



Figure 4 Conditional Standard Error Plot: Regents Examination in Algebra II (Common Core)

4.3 DECISION CONSISTENCY AND ACCURACY (STANDARD 2.16)

In a standards-based testing program there is interest in knowing how accurately students are classified into performance categories. In contrast to the Coefficient Alpha, which is concerned with the relative rank-ordering of students, it is the absolute values of student scores that are important in decision consistency and accuracy.

Classification consistency refers to the degree to which the achievement level for each student can be replicated upon retesting using an equivalent form (Huynh, 1976). Decision consistency answers the

Figure 5 Pseudo-Decision Table for Two Hypothetical Categories

		TEST ONE				
		LEVEL I	LEVEL II	LEVEL III	LEVEL IV	MARGINAL
TEST TWO	LEVEL I	11	12	13	14	1●
	LEVEL II	21		23	24	2●
	LEVEL III	31	32		34	3●
	LEVEL IV	41	42	43		4●
	MARGINAL	●1	●2	●3	●4	1

Figure 6 Pseudo-Decision Table for Four Hypothetical Categories

would it be that the student would be reclassified as being in the same category if he or she took Test Two (a non-overlapping, equally difficult form of the test)? This proportion is a measure of decision consistency.

The proportions of correct decisions, , for two and four categories are computed by the following two formulas, respectively:

$$= {}_{11} + {}_{22}$$

$$= {}_{11} + {}_{22} + {}_{33} + {}_{44}$$

The sum of the diagonal entries that is, the proportion of students classified by the two forms into exactly the same achievement level signifies the overall consistency.

Classification accuracy refers to the agreement of the observed classifications of students with the classifications made on the basis of their true scores. As discussed above, an observed score contains measurement error while a true score is theoretically free of measurement error.

measurement error, or 1>OANRA@ 6NQAE NNKN. Decision accuracy is an index to determine the extent to which measurement error causes a classification different from the one expected from the true score.

Since true scores are unobserved and decision consistency is computed based on a single administration of the Regents Examination in Algebra II (Common Core), a statistical model using solely data from the available administration is used to estimate the true scores and to project the consistency and accuracy of classifications (Hambleton & Novick, 1973). Although a number of procedures are available, a well-known method developed by Livingston and Lewis (1995) that utilizes a specific true score model is used.

Table 9 Group Means: Regents Examination in Algebra I I (Common Core)

Demographics	Number	Mean Scale Score	SD Scale Score
All Students	91,478	70.96	13.09
Ethnicity			
American Indian/Alaska Native	403	66.76	12.74
Asian/Native Hawaiian/Other Pacific Islander	13,394	74.15	12.66
Black/African American			

Raw Score – Regents Examination in Algebra II

Content Frameworks for Mathematics provided by the Partnership for the Assessment of Readiness for College and Career (PARCC, 2014). The model content frameworks are located at http://www.parcconline.org/resources/educator-resources/model-content-frameworks/mathematics-model-content-framework. The standards for mathematics are located at http://www.engageny.org/resource/new-york-state-p 2-common-core-learning-standards-for-mathematics. Clarifications for Algebra II (Common Core) standards are located at http://www.engageny.org/resource/regents-exams-mathematics-algebra-i-standards-clarifications.

Content Validity

Content validity is necessarily concerned with the proper definition of the construct and evidence that the test provides an accurate measure of examinee performance within the defined construct. The test blueprint for the Regents Examination in Algebra II (Common Core) is essentially the design document for constructing the exam. It provides explicit definition of the construct domain that is to be represented on the exam. The test development process (discussed in the next section) is in place to ensure, to the extent possible, that the blueprint is met in all operational forms of the exam.

Table 11 displays domain titles along with their cluster, standard, and targeted proportions of conceptual categories on the exam.

Table 11 Test Blueprint, Regents Examination in Algebra II (Common Core)

Number & Quantity	5–12%	The Real Number System (N-RN) Quantities (N-Q) The complex Number System (N-CN)
Algebra	35–44%	Seeing Structure in Expressions (A-SSE) Arithmetic with Polynomials and Rational Expressions (A-APR) Creating Equations (A-CED) Reasoning with Equations and Inequalities (A-REI) Expressing Geometric Properties with Equations (G-GPE)*
Functions	30–40%	Interpreting Functions (F-IF) Building Functions (F-BF) Linear, Quadratic, and Exponential Models (F-LE) Trigonometric Function (F-TF)
Statistics & Probability	14–21%	Interpreting categorical and quantitative data (S-ID) Making Inferences and Justifying Conclusions (S-IC) Conditional Probability and the Rules of Probability (S-CP)

*Although the organization of the CCLS places one standard from the G-GPE domain into the Geometry Conceptual Category, the content within this domain will be assessed as part of the Algebra Conceptual Category for the Regents Examination in Algebra II (Common Core).

Item Development Process

Test development for the Regents Examination in Algebra II (Common Core) is a detailed, step-by-step process of development and review cycles. An important element of this process

is that all test items are developed by New York State educators in a process facilitated by state subject matter and testing experts. Bringing experienced classroom teachers into this central item development role serves to draw a strong connection between classroom and test content.

Only New York State-certified educators may participate in this process. The New York State Education Department asks for nominations from districts, and all recruiting is done with diversity of participants in mind, including diversity in gender, ethnicity, geographic region, and teaching experience. Educators with item-writing skills from around the state are retained to write all items for the Regents Examination in Algebra

3. fidelity of measurement to CCLS
4. conformity to the expectations for the specific item types and formats (e.g., multiple-choice questions, 2-point constructed-response questions, 4-point constructed-response questions, and 6-point constructed-response questions).

Each section of the criteria includes pertinent questions that help reviewers determine whether or not an item is of sufficient quality. Within the first two categories, the headings Language Appropriateness, Sensitivity/Bias, and Math Art identify the basic wsss8f 300.Ar4M9 T y40 (

The controls and monitoring in place for the Regents Examination in Algebra II (Common Core) include the item development process, with attention paid to mitigating the introduction of construct-irrelevant variance. The development process described in the previous sections details the process and attention given to reducing the potential for construct irrelevance in response processes by attending to the quality and alignment of test content to the test blueprint and to the item development guidelines (Appendix C). Further evidence is documented in the test administration and scoring procedures, as well as the results of statistical analyses, which are covered in the following two sections.

Administration and Scoring

Adherence to standardized administration procedures is fundamental to the validity of test scores and their interpretation, as such procedures allow for adequate and consistently applied conditions for scoring the work of every student who takes the examination. For this reason, guidelines, which are contained in the 6 F K R R O $ G P L Q L V W U D W L Y H *XLGHOLQHV IRU 6HFRQGDU\ /HYHO 0 D Q X D O *Examinations* (http://www.p12.nysed.gov/assessment/sam/secondary/hssam-update.html), have been developed and implemented for the New York State Regents testing program. All secondary-level Regents examinations are administered under these standard conditions, in order to support valid inferences for all students. These standard procedures also cover testing students with disabilities who are provided testing accommodations consistent with their Individualiz.gz7t(iv)1c4 n BT 0 gseteducation

The distinct steps for operational test scoring include close attention to each of these elements and begin before the operational test is even selected. After the field test process, during which many more items than appear on the operational test are administered to a representative sample of students, a set of anchor papers representing student responses across the range of possible responses for constructed-response items is selected. The objective of these - s is to create a training set for scorer training and execution, the scores from which are used to generate important statistical information about

Attention to the rubric design also fundamentally contributes to the validity of examinee response processes. The rubric specifies what the examinee needs to provide as evidence of learning based on the question asked. The more explicit the rubric (and the item), the more clear the response expectations are for examinees. To facilitate the development of constructed-response scoring rubrics, the NYSED training for writing items includes specific attention to rubric development, as follows:

- The rubric should clearly specify the criteria for awarding each credit.
- The rubric should be aligned to what is asked for in the item and correspond to the knowledge or skill being assessed.
- Whenever possible, the rubric should be written to allow for alternate approaches and other legitimate methods.

In support of the goal of valid score interpretations for each examinee, then, such scoring training procedures are implemented for the Regents Examination in Algebra II (Common Core). Operational raters are selected based on expertise in the exam subject and are assigned a specific set of items to score. No more than one-third of the items on the test are assigned to any one rater. This has the effect of increasing the consistency of scoring across examinee responses by allowing each rater to focus on a subset of items. It also assures that no one rater is allowed to score the entire test for any one student. This practice reduces the effect of any potential bias of a single rater on individual examinees. Additionally, no rater is allowed to score the responses of his or her own students.

Statistical Analysis

One statistic that is useful for evaluating the response processes for multiple-choice items point-biserial correlation on the distractors. A high point-biserial on a distractor may indicate that students are not able to identify the correct response for a reason other than the difficulty of the item. A finding of poor model fit for an item may also support a finding that examinees are not responding the way that the item developer intended them to. As documented in Table 2, the point-biserial statistics for distractors in the multiple-choice items all appear to be very low, indicating that, for the most part, examinees are not being drawn to

The following analyses were conducted for the Regents Examination in Algebra II (Common Core):

- item difficulty
- item discrimination
-

Dimensionality

In addition to model fit, a strong assumption of the Rasch model is that the construct measured by a test is unidimensional. Violation of this assumption might suggest that the test is measuring something other than the intended content and indicate that the quality of the test

References

American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (2014). *Standards for educational and psychological testing*. Washington, DC: American Educational Research Association.

Barkaoui, Khaled. (2011). Effects of marking method and rater experience on ESL essay scores and rater performance. *Assessment in Education: Principles, Policy & Practice*, 18:3.

Congdon, P. J., & McQueen, J. (2000). The stability of rater severity in large-scale assessment programs. *Journal of Educational Measurement, 37*(2), 163 178.

Cook, D. A., & Beckman, T. J. (2009). Does scale length matter? A comparison of nine- versus five-point rating scales for mini-CEX. *Advances in Health Sciences Education, 14,* 655 684.

Cronbach, L. J., Linn, R. L., Brennan, R. T., & Haertel, E. (1995, Summer). Generalizability analysis for educational assessments. Los Angeles, CA: University of California, Center for the Study of Evaluation/National Center for Research on Evaluation, Standards, and Student Testing. Retrieved February 17, 2016, from www.cse.ucla.edu/products/evaluation/cresst_ec1995_3.pdf.

Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, *16*, 297 334.

Cronbach, L. J. (1988). Five Perspectives on validity argument. In H. Wainer & H. Braun (Eds.), *Test Validity* (pp. 3 17) Hillsdale, NJ: Lawrence Erlbaum.

National Governors Association Center for Best Practices, & Council of Chief State School Officers. (2010). *Common Core State Standards*. Washington, DC: Authors.

Gorman, C. A., & Rentsch, J. R. (2009). Evaluating frame-of-reference rater training effectiveness using performance schema accuracy. *Journal of Applied Psychology, 94*(5), 1336 1344.

Gulliksen, H. (1950). *Theory of mental tests*. New York: Wiley.

Hambleton, R. K., & Novak, M. R. (1973). Toward an integration of theory and methods for criterion-referenced tests. *Journal of Educational Measurement*, *10*, 159 170.

Hambleton, R. K., Swaminathan, H., & Rogers, H. J. (1991). *Item response theory*. Newbury Park, CA: Sage Publications.

Hanson, B. A. (1994). Extension of Lord-Wingersky algorithm to computing test scores for polytomous items. Retrieved February 17, 2016 from http://www.b-a-h.com/papers/note9401.pdf.

Harik, P., Clauser, B. E., Grabovsky, I., Nungester, R. J., Swanson, D., & Nandakumar, R. (2009, Spring). An examination of rater drift within a generalizability theory framework. *Journal of Educational Measurement, 46*(1), 43 58.

Harvill, L. M. (1991). Standard error of measurement. *Educational Measurement: Issues and Practices*, 10(2), 33 41.

Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis. *Psychometrika*, 32, 179 185.

Hoyt, W. T., & Kerns, M. (1999). Magnitude and moderators of bias in observer ratings: A meta-analysis. *Psychological Methods, 4,* 403 424.

Huynh, H. (1976). Statistical consideration of mastery scores. *Psychometrika*, *41*, 65 78.

McDonald, R.P. (1979). The structural analysis of multivariate data: A sketch of general theory. *Multivariate Behavioral Research*, 14, 21 38.

McQueen, J., & Congdon, P. J. (1997, March). *Rater severity in large-scale assessment: Is it invariant?*

Appendix A: Operational

Appendix B: Raw-to-Theta-to-Scale Score Conversion Tables

Table B.1 Score Table for June 2016 Administration

Appendix C: Item Writing Guidelines

Guidelines for Writing Multiple-Choice Math Items

1. **The item measures the knowledge, skills, and proficiencies characterized by the standards within the identified cluster.**

2. **The focus of the problem or topic should be stated clearly and concisely.**
   The stem should be meaningful and convey the central problem. A multiple-choice item functions most effectively when a student is required to compare specific alternatives related to the stem. It should not be necessary for the student to read all of the alternatives to understand an item. *(Hint: Cover the alternatives and read the stem on its own. Then ask yourself if the question includes the essential elements or if the essential elements are lost somewhere in the alternatives.)*

3. **Include problems that come from a real-world context or problems that make use of multiple representations.**
   When using real-world problems, use formulas and equations that are real-world *(e.g., the kinetic energy of an object with mass, m, and velocity, V, is k = ½ mv2).* Use real-world statistics whenever possible.

4. **The item should be written in clear and simple language, with vocabulary and sentence structure kept as simple as possible.**
   Each multiple-choice item should be specific and clear. The important elements should generally appear early in the stem of an item, with qualifications and explanations following. Difficult and technical vocabulary should be avoided, unless essential for the purpose of the question.

5. **The stem should be written as a direct question or an incomplete statement**
   Direct questions are often more straightforward. However, an incomplete statement may be used to achieve simplicity, clarity, and effectiveness. Use whichever format seems more appropriate to present the item effectively.

6. **The stem should not contain irrelevant or unnecessary detail.**
   Be sure that sufficient information is provided to answer the question, but avoid excessive

7. **The phrase *which of the following* should not be used to refer to the alternatives; instead, use *which* followed by a noun.**
   In the stem, *which of the following* requires the student to read all of the alternatives before knowing what is being asked and assessed. Expressions such as *which statement*, *which expression*, *which equation*, and/or *which graph* are acceptable.

8. **The stem should include any words that must otherwise be repeated in each alternative.**
   In general, the stem should contain everything the alternatives have in common or as much as possible of their common content. This practice makes an item concise. Exceptions include alternatives containing units and alternatives stated as complete sentences.

9. **The item should have one and only one correct answer.**
   Items should not have two or more correct alternatives. *All of the above* and *none of the*

REVIEW CRITERIA CHECKLIST FOR POTENTIAL MATH ITEMS

The following list of criteria will be used to train item writers and then to review items for possible inclusion on test forms.

Language Appropriateness	Yes	No	n/a	Explain or Describe
1. Item: Uses grade-level vocabulary. Uses the simplest terms possible to convey information. Avoids technical terms unrelated to content.				
2. Sentence complexity well within grade expectations.				
3. Avoids ambiguous or double-meaning words.				
4. Pronouns have clear referents.				
5. Item avoids irregularly spelled words. *Use most common spelling of words.*				
6. Item can be put into Braille. Item can be translated appropriately according to the specific accommodations as outlined in universal design guidelines.				

Sensitivity/Bias	Yes	No	n/a	Explain or Describe
1. The item is free of content that might be deemed offensive to groups of students, based upon culture, religion, race, ethnicity, gender, geographic location, ability, socioeconomic status, etc.				
2. The item is free of content that contains stereotyping.				
3. The item is free of content that might unfairly advantage or disadvantage subgroups of students (ethnicity, gender, geographic location, ability, socioeconomic status, etc.) by containing unfamiliar contexts or examples, unusual names of people or places, or references to local events or issues.				





Mathematic Correctness	Yes	No	n/a	Explain or Describe
1. The stem addresses a central math concept, either implicitly or explicitly.				
2. The math presented in stem is clear, accurate, and conceptually plausible.				
3. At least one strategy exists that is on grade level to solve the problem.				
4. If there is more than one strategy, regardless of the strategy employed, the same correct answer will be achieved.				
5. There is a rationale for the correct response that is aligned to the language of the Standards and that demonstrates knowledge and/or application of the Standards.				
6. For MCQs: Is ansaap				

Guidelines for Writing Constructed-Response Math Items

1. **The item measures the knowledge, skills, and proficiencies characterized by the standards within the identified cluster.**

2. **The focus of the problem or topic should be stated clearly and concisely**.
   The item should be meaningful, address important knowledge and skills, and focus on key concepts.

3. **Include problems that come from a real-world context or problems that make use of multiple representations.**
   When using real-world problems, use formulas and equations that are real-world *(e.g., the kinetic energy of an object with mass, m, and velocity, V is k = ½ mv2)*. Use real-world statistics whenever possible.

4. **The item should be written with terminology, vocabulary and sentence structure kept as simple as possible. The item should be free of irrelevant or unnecessary detail.**
   The important elements should generally appear early in the item, with qualifications and explanations following. Present only the information needed to make the context/scenario clear.

5. **The item should not contain extraneous clues to the correct answer.**
   The item should not provide unintended clues that allow a student to obtain credit without the appropriate knowledge or skill-73 146.6279912 792 re W* n B-2 (o)-3 (ssible)6 (.)] TJ 2 792 re

9. The item should be written so that the student does not have to identify units of measurement in the answer, unless the question is testing dimensional analysis.

the number of centimeters in the length of the arc intercepted by a central angle t

10. The item should be written to require a specific form of answer.

to the nearest tenth

simplify the writing of the rubric for these types of items.

11. Items that require students to explain in words are encouraged.

One of the emphases of the Common Core standards is to foster student ability to communicate mathematical thinking. An example is to have students construct viable arguments such as to make conjectures, analyze situations or justify conclusions. These items would require students to demonstrate precision of knowledge in their responses.

12. Items may be broken into multiple parts that may be labeled *a*, *b*, *c*, etc.

Clear division of the parts of the problems may simplify the writing of the rubric for these types of items.

13. Notation and symbols as presented on Common Core examinations should be used consistently.

For example, *AB* means the length of line segment *AB*, ¼ means line segment *AB*, m á*A* means the number of degrees in the measure of angle A, etc.