Copyright

Developed and published under contract with the New York State Education Department by Pearson.

Copyright © 2020 by the New York State Education Department.

Secure Materials.
All rights reserved. No part of this document may be reproduced or transmitted by any means. Use of these materials is expressly limited to the New York State Education Department.

Differential Item Functioning *35*
IRT Model Fit *35*
Test Reliability *35*
Classification Consistency and Accuracy *36*
Dimensionality *36*
5.4 EVIDENCE BASED ON RELATIONS TO OTHER VARIABLES 36
5.5 EVIDENCE BASED ON TESTING CONSEQUENCES 37
REFERENCES 38
APPENDIX A: OPERATIONAL TEST MAPS 42
APPENDIX B: RAW-TO-THETA-TO-SCALE SCORE CONVERSION TABLES 45
APPENDIX C: ITEM WRITING GUIDELINES 46

List of Tables

TABLE 1 TOTAL EXAMINEE POPULATION: REGENTS EXAMINATION IN PHYSICAL SETTING/PHYSICS 2
TABLE 2 MULTIPLE-CHOICE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN PHYSICAL SETTING/PHYSICS 4
TABLE 3 CONSTRUCTED-RESPONSE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN PHYSICAL SETTING/PHYSICS 6
TABLE 4 DESCRIPTIVE STATISTICS IN *P*-VALUE AND POINT-BISERIAL CORRELATION: REGENTS EXAMINATION IN PHYSICAL SETTING/PHYSICS 7
TABLE 5 SUMMARY OF ITEM RESI36 Tm[(T)-95.4 620.76 Tm(R)Tj-0.015 Tc 0.YSI36 Tm[(T)-9633 Tm(0.001 T/(/PS)-18.7 (I)-16.7 (36 Tm[(T)-95.4 620.)Tw 8.04 0 0 8.04 91.92 620

Chapter 1: Introduction

1.1 INTRODUCTION

This technical report for the Regents Examination in Physical Setting/Physics will provide New York State with documentation of the purposes of the Regents Examination, scoring information, evidence of both reliability and validity of the exam, scaling information, and guidelines for score reporting for the June 2019 administration. As the *Standards for Education and Psychological Testing* discusses in Standard 7, “The objective of the documentation is to provide test users with the information needed to help them assess the nature and quality of the test, the resulting scores, and the interpretations based on the tes-n (er)6.9 (p)1eodels

1.3 TARGET POPULATION (STANDARD 7.2)

The examinee population for the Regents Examination in Physical Setting/Physics is composed of students who have completed a course in Physics.

Table 1 provides a demographic breakdown of all students who took the June 2019 Regents Examination in Physical Setting/Physics. All analyses in this report are based on the population described in Table 1. Annual Regents Examination results in the New York State Report Cards are those reported in the Student Information Repository System (SIRS) as of the reporting deadline. The results include the exam administered in June 2019 (see http://data.nysed.gov/). In instances where students take the same exam multiple times in the year, only the highest achieved score is included in the results. Item-level data used for the analyses in this report are reported by districts on a similar timeline, yet through a different collection system. These data include all student results for each administration. Therefore, the n-sizes in this technical report will differ from publicly reported counts of student test-takers.

Table 1 Total Examinee Population: Regents Examination in Physical Setting/Physics

	June Admin	
Demographics	**Number**	**Percent**
All Students	46,648	100.00
Race/Ethnicity		
American Indian/Alaska Native	186	0.40
Asian/Native Hawaiian/Other Pacific Islander	9,229	19.78
Black/African American	3,621	7.76
[redacted]	5,841	12.52
	766	1.64

Chapter 2: Classical Item Statistics (Standard 4.10)

This chapter provides an overview of the two most familiar item-level statistics obtained from classical item analysis: item difficulty and item discrimination. The following results pertain to the operational Regents Examination in Physical Setting/Physics items.

2.1 ITEM DIFFICULTY

At the most general level, an item's difficulty is indicated by its mean score in some specified group (e.g., grade level).

$\bar{}$

answer any given item correctly, while low-performing students (i.e., those who perform poorly on the exam overall) would be more likely to answer the same item incorrectly. Pearson's product-moment correlation coefficient (also commonly referred to as a point-biserial correlation) between item scores and test scores is used to indicate discrimination (Pearson, 1896). The correlation coefficient can range from ī1.0 to +1.0. If high-scoring students tend to get the item correct while low-scoring students do not, the correlation between the item score and the total test score will be both positive and noticeably large in its magnitude (i.e., above zero), meaning that the item is likely discriminating well between high- and low-performing students. Point-biserial values are computed for each answer option, including correct and incorrect options (commonly referred to as "distractors"). Finally, point-biserial values for each distractor are an important part of the analysis. The point-biserial values on the distractors are typically negative. Positive values can indicate that higher-performing students are selecting an incorrect answer or that the item key for the correct answer should be checked.

Table 2 and Table 3 provide the point-biserial values on the correct response and three distractors (Table 2, only) for the June 2019 administration of the Regents Examination in Physical Setting/Physics. The point-biserial values for correct answers are 0.15 or higher for all but one item, indicating that the items are generally discriminating well between high- and low-performing examinees. Point-biserial values for all distractors are14 (e)vE(at)2 (i)6 (v)4 ((e)v(,)2 (z

Item	Number of Students	*p*-Value	SD	Point-

Table 3 Constructed-Response Item Analysis Summary: Regents Examination in Physical Setting/Physics

Item	Min. Score	Max. Score	Number of Students	Mean	SD	*p*-Value	Point-Biserial
51	0	1	46,648	0.85	0.35	0.85	0.37
52	0	1	46,648	0.64	0.48	0.64	0.61
53	0	1	46,648	0.64	0.48	0.64	0.60
54	0	1	46,648	0.70	0.46	0.70	0.57
55	0	1	46,648	0.61	0.49	0.61	0.46
56	0	1	46,648	0.76	0.43	0.76	0.44
57	0	1	46,648	0.74	0.44	0.74	0.54
58	0	1	46,648	0.80	0.40	0.80	0.59
59	0	1	46,648	0.78	0.42	0.78	0.57
60	0	1	46,648	0.80	0.40	0.80	0.55
61	0	1	46,648	0.40	0.49	0.40	0.49
62	0	1	46,648	0.57	0.50	0.57	0.55
63	0	1	46,648	0.69	0.46	0.69	0.49
64	0	1	46,648	0.63	0.48	0.63	0.51
65	0	1	46,648	0.87	0.33	0.87	0.36
66	0	1	46,648	0.68	0.47	0.68	0.54
67	0	1	46,648	0.71	0.45	0.71	0.52
68	0	1	46,648	0.52	0.50	0.52	0.51

$$P_{ni}(X=1)=\frac{\exp(\theta_n - D_{ij})}{1+\exp(\theta_n - D_{ij})}.$$

The Rasch model places both performance and item difficulty (estimated in terms of log-odds or logits) on the same continuum. When the model assumptions are met, the Rasch model provides estimates of examinee performance and item difficulty that are theoretically invariant across random samples of the same examinee population.

3.2 SOFTWARE AND ESTIMATION ALGORITHM

Item calibration was implemented via the WINSTEPS 3.60 computer program (Linacre, 2005), which employs unconditional (UCON) joint maximum likelihood estimation (JMLE).

3.3 ITEM DIFFICULTY–STUDENT PERFORMANCE MAP



Figure 2 Student Performance Map: Regents Examination in Physical Setting/Physics

3.4 CHECKING RASCH ASSUMPTIONS

Since the Rasch model was the basis of all calibration, scoring, and scaling analyses associated with the Regents Examination in Physical Setting/Physics, the validity of the inferences from these results depends on the degree to which the assumptions of the model were met and how well the model fits the test data. Therefore, it is important to check these assumptions. This section evaluates the dimensionality of the data, local item independence, and item fit. It should be noted that only operational items were analyzed, since they are the basis of student scores.

Unidimensionality

Rasch models assume that one dominant dimension determines the differences in students' performances. Principal Components Analysis (PCA) can be used to assess the unidimensionality assumption. The purpose of the analysis is to verify if any other dominant components exist among the items. If any other dimensions are found, the unidimensionality assumption would be violated.

A parallel analysis (Horn, 1965) was conducted to help distinguish components that are real from components that are random. Parallel analysis is a technique to decide how many factors

distinction is important because many indicators of local dependency are actually framed by WLI. For WLI,

Table 5 Summary of Item Residual Correlations: Regents Examination in Physical Setting/Physics

Statistic Type	Value
N	3,570
Mean	-0.01
SD	0.04
Minimum	-0.10
P_{10}	-0.05
P_{25}	-0.03
P_{50}	-0.01
P_{75}	0.00
P_{90}	0.02
Maximum	0.55
>|0.20|	11

Item Fit

An important assumption of the Rasch model is that the data for each item fit the model. WINSTEPS provides two item fit statistics (INFIT and OUTFIT) for evaluating the degree to which the Rasch model predicts the observed item responses for a given set of test items. Each fit statistic can be expressed as a mean square (MnSq) statistic or on a standardized metric (Zstd with mean = 0 and variance = 1). MnSq values are more oriented toward practical significance, while Zstd values are more oriented toward statistical significance. INFIT MnSq values are the average of standardized residual variance (the difference between the observed score and the Rasch estimated score divided by the square root of the Rasch-model variance). The INFIT statistic is weighted by the (θ) relative to item difficulty.

The expected MnSq value is 1.0 and can range from 0.0 to infinity. Deviation in excess of the expected value can be interpreted as noise or lack of fit between the items and the model. Values lower than the expected value can be interpreted as item redundancy or overfitting items (too predictable, too much redundancy), and values greater than the expected value indicate underfitting items (too unpredictable, too much noise). Rules of thumb regarding "practically significant" MnSq values vary.

Table 6 presents the summary statistics of INFIT mean (.)2 ( )]TJ-0.006 Tej0.004 Tc(T)5 (abl)1ac0

Table 6 Summary of INFIT Mean Square Statistics: Regents Examination in Physical Setting/Physics

INFIT Mean Square

When the base administration was concluded, the initial raw score to scale score relationship was established. Three raw scores were fixed at specific scale scores. Scale scores of 0 and 100 were fixed to correspond to the minimum and maximum possible raw scores. In addition, a standard setting had been held to determine the passing and passing with distinction cut scores in the raw score metric. The scale score points of 65 and 85 were set to correspond to those raw score cuts. A third-degree polynomial is required to fit a line exactly to four arbitrary points (e.g., the raw scores corresponding to the four critical scale scores of 0, 65, 85, and 100). The general form of this best-fitting line is:

$$= \quad 3 \quad + \quad 2 \quad + \quad 1 \quad {}^{1} + \quad 0,$$

where SS is the scaled score, RS is the raw score, and m0 through m3 are the transformation constants that convert the raw score into the scale score (please note that m0 will always be equal to zero in this application, since a raw score of zero corresponds to a scale score of zero). A subscript for a person on both dependent and independent variables is not present for simplicity. The above relationship and the values of m1 to m3 specific to this subject were then used to determine the scale scores corresponding to the remainder of the raw scores on the examination. This initial relationship between the raw and scale scores became the base scale.

The Rasch difficulty parameters for the items on the base form were then used to derive a raw score to Rasch student ability (theta score) relationship. This allowed the relationship between the Rasch theta score and the scale score to be known, mediated through their common relationship with the raw scores.

In succeeding years, each test form was selected from the pool of items that had been tested in previous years' field tests, each of which had known Rasch item difficulty parameter(s). These known parameters were then used to construct the relationship between the raw and Rasch theta scores for that particular form. Because the Rasch difficulty parameters are all on a common scale, the Rasch theta scores were also on a common scale with previously administered forms. The remaining step in the scaling process was to find the scale score equivalent for the Rasch theta score corresponding to each raw score point on the new form, using the theta-to-scale score relationship established in the base year. This was done via linear interpolation.

This process results in a relationship between the raw scores on the form and the overall scale scores. The scale scores corresponding to each raw score are then rounded to the nearest integer for reporting on the conversion chart (posted at the close of each administration). The only exceptions are for the minimum and maximum raw scores and the raw scores that correspond to the scaled cut scores of 55, 65, and 85.

The minimum (zero) and maximum possible raw scores are assigned scale scores of 0 and 100, respectively. In the event that there are raw scores less than the maximum with scale scores that round to 100, their scale scores are set equal to 99. A similar process is followed with the minimum score; if any raw scores other than zero have scale scores that round to zero, their scale scores are instead set equal to one.

With regard to the cuts, if two or more scale scores round to 55, 65, or 85, the lowest raw score's scale score is set equal to 55, 65, or 85, and the scale scores corresponding to the higher raw scores are set to 56, 66, or 86, as appropriate. If no scale score rounds to these critical cuts, then the raw score with the largest scale score that is less than the cut is set equal to the cut. The overarching principle, when two raw scores both round to either scale score cut, is that the lower of the raw scores is always assigned to be equal to the cut so that students are never penalized for this ambiguity.

Chapter 4: Reliability (Standard 2)

Test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a

The relationship between and the scale score is not expressible in a simple mathematical form because it is a blend of the third-degree polynomial relationship between the raw and scale scores and the nonlinear relationship between the expected raw and scores. In addition, as the exam is equated from year to year, the relationship between the raw and scale scores moves away from the original third-degree polynomial relationship to one that is also no longer expressible in a simple mathematical form. In the absence of a simple mathematical relationship between and the scale scores, the CSEMs that are available for each score via Rasch IRT cannot be converted directly to the scale score metric.

The use of Rasch IRT to scale and equate the Regents Examinations does, however, make it possible to calculate CSEMs by using the procedures described by Kolen, Zeng, and Hanson (1996) for dichotomously scored items and extended by Wang, Kolen, and Harris (2000) to polytomously scored items. For tests such as the Regents Examination in Physical Setting/Physics that have a one-to-one relationship between raw ( ) and scale scores, the CSEM for each achievable scale score can be calculated by using the compound multinomial distribution to represent the conditional distribution of raw scores for each level of .
itingCSri-3

Consider an examinee with a certain performance level. If it were possible to measure this examinee's performance perfectly, without any error, this measure could be called the examinee's

Conditional Standard Error of Measurement Characteristics

The relationship between the scale score CSEM and depends both on the nature of the raw-to-scale score transformation (Kolen & Brennan, 2005; Kolen & Lee, 2011) and on whether the CSEM is derived from the raw scores or from (Lord, 1980). The pattern of CSEMs for raw scores and linear transformations of the raw score tend to have a characteristic "inverted-U" shape, with smaller CSEMs at the ends of the score continuum and larger CSEMs toward the middle of the distribution.

Achievable raw score points for these distributions are spaced equally across the score range. Kolen and Brennan (2005, p. 357) state, "When, relative to raw scores, the transformation compresses the scale in the middle and stretches it at the ends, the pattern of the conditional standard errors of measurement will be concave up (U-shaped), even though the pattern for the raw scores was concave down (inverted-U shape)."

Results and Observations

The relationship between raw and scale scores for the Regents Examination tends to be roughly linear from scale scores of 0 to 20 and then concave down from about 20 to 100. In other words, the scale scores track linearly with the raw scores for the first quarter of the scale score range and then are compressed relative to the raw scores for the remaining three-quarters of the range, though there are slight variations. The CSEMs for the Regents Examination can be expected to have inverted-U shaped patterns, with some variations.

Figure 4 shows this type of CSEM variation for the Regents Examination in Physical Setting/Physics in which the compression of raw score to scale scores around the cut score of 65 changes the shape of the curve slightly. This type of expansion and compression can be seen in Figure 4 by looking at the changing density of raw score points along the scale score range on the horizontal axis. Specifically, there is noticeable compression in the middle of the score scale between about 15 and 85 on the score scale.

Figure 4 Conditional Standard Error Plot: Regents Examination in Physical Setting/Physics

4.3 DECISION CONSISTENCY AND ACCURACY (STANDARD 2.16)

In a standards-based testing program, there is interest in knowing how accurately students are classified into performance categories. In contrast to the Coefficient Alpha, which is concerned with the relative rank-ordering of students, it is the absolute values of student scores that are important in decision consistency and accuracy.

Classification consistency refers to the degree to which the achievement level for each student can be replicated upon retesting using an equivalent form (Huynh, 1976). Decision consistency answers the following question: What is the agreement in

Initial item development is conducted under the criteria and guidance provided by the Department. Both multiple-choice and constructed-response items are included in the Regents Examination in Physical Setting/Physics to ensure appropriate coverage of the construct domain.

Figure 7 New York State Education Department Test Development Process

Item Review Process

The item review process helps to ensure

documented in the test administration and scoring procedures, as well as the results of statistical analyses, which are covered in the following two sections.

Administration and Scoring

Adherence to standardized administration procedures is fundamental to the validity of test scores and their interpretation, as such procedures allow for adequate and consistently applied conditions for scoring the work of every student who takes the examination. For this reason, guidelines, which are contained in the *School Administrator's Manual, Secondary Level Examinations* (

- Whenever possible, the rubric should be written to allow for alternative approaches and other legitimate methods.

In support of the goal of valid score interpretations for each examinee, such scoring training procedures are implemented for the Regents Examination in Physical Setting/Physics. Operational raters are selected based on expertise in the exam subject and are assigned a specific set of items to score. No more than approximately one-half of the items on the test are assigned to any one rater. This increases the consistency of scoring across examinee responses by allowing each rater to focus on a subset of items. It also ensures that no one rater is allowed to score the entire test for any one student. This practice reduces the effect of any potential bias of a single rater on individual examinees. Additionally, raters are not allowed to score the responses of their own students.

Statistical Analysis

One statistic that is useful for evaluating the response processes for multiple-choice items is an item's point-biserial correlation on the distractors. A high point-biserial on a distractor may indicate that students are not able to identify the correct response for a reason other than the difficulty of the item. A finding of poor model fit for an item may also support a finding that examinees are not responding the way in which the item developer intended. As documented in Table 2, the point-biserial statistics for distractors in the multiple-choice items all appear to be negative or close to zero, indicating that, for the most part, examinees are not being drawn to an unintended construct.

5.3 EVIDENCE BASED ON INTERNAL STRUCTURE

The third source of validity evidence comes from the internal structure of the test. This requires that test developers evaluate the test structure to ensure that the test is functioning as intended. Such an evaluation may include attention to item interactions, tests of dimensionality, or indications of test bias for or against one or more subgroups of examinees detected by differential item functioning (DIF) analysis. Evaluation of internal test structure also includes a review of the results of classical item analyses, test reliability, and the IRT scaling and equating.

The following analyses were conducted for the Regents Examination in Physical 1 0 Td[
NCE B[(la(N I)se)10 seiceN Ii4(N I)id7.4(5 (E)5

Lumley, T., & McNamara, T. F. (1995). Rater characteristics and rater bias: Implications for training. *Language Testing, 12*, 54–71.

Mantel, N., & Haenszel, W. (1959). Statistical aspects of the analysis of data from retrospective studies of disease. *Journal of the National Cancer Institute, 22*(4), 719-748.

Marais, I., & Andrich, D. (2008). Formalizing dimension and response violations of local independence in the unidimensional Rasch model. *Journal of Applied Measurement*, *9*(3), 200-15.

McDonald, R. P. (1979). The structural analysis of multivariate data: A sketch of a general theory. *Multivariate Behavioral Research, 14*, 21–38.

McQueen, J., & Congdon, P. J. (1997, March). *Rater severity in large-scale assessment: Is it invariant?* Paper presented at the Annual Meeting of the American Educational Research Association, Chicago, IL.

Mero, N. P., & Motowidlo, S. J. (1995). Effects of rater accountability on the accuracy and the favorability of performance ratings. *Journal of Applied Psychology*, *80*(4), 517–524.

Messick, S. (1995). Standards of Validity and the validity of standards in performance assessment. *Educational Measurement: Issues and Practice, 14*(4), 5–8.

Myford, C. M., & Wolfe, E. W. (2009). Monitoring rater performance over time: A framework for detecting differential accuracy and differential scale use. *Journal of Educational Measurement*, *46*(4), 371–389.

Patz, R. J., Junker, B. W., Johnson, M. S., and Mariano, L. T. (2002). The Hierarchical Rater Model for Rated Test Items and its Application to Large-Scale Educational Assessment Data. *Journal of Educational and Behavioral Statistics, 27*(4), 341-384.

Pearson, K. (1896). Mathematical Contributions to the Theory of Evolution. III. Regression, Heredity and Panmixia. *Philosophical Transactions of the Royal Society of London, 187*, 253–318.

Pecheone, R. L., & Chung Wei, R. R. (2007). Performance assessment for California teachers: Summary of validity and reliability studies for the 2003–04 pilot year. Palo Alto, CA: Stanford University PACT Consortium.

Penny, J., Johnson, R. L., & Gordon, B. (2000). Using rating augmentation to expand the scale of an analytic rubric. *The Journal of Experimental Education, 68*(3), 269–287.

Rasch, G. (1960). *Studies in mathematical psychology: I. Probabilistic models for some*

Position	Item Type	Max Points	Weight	Standard	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
77	CR	1	1	4	4	3	0.80	0.56	-1.7614	0.82
78	CR	1	1	4	4	3	0.66	0.61	-0.9355	0.82
79	CR	1	1	4	4	3	0.74	0.62	-1.3708	0.78
80	CR	1	1	4	4	3	0.75	0.58	-1.4339	0.80
81	CR	1	1	4	4	1	0.70	0.51	-1.1276	0.89
82	CR	1	1	4	4	1	0.51	0.37	-0.2277	1.06
83	CR	1	1	4	4					